



SE-6165

B. E. II (Sem. III) (Comp. I.T.) Examination

May / June - 2011

Discrete Mathematics

Time : 3 Hours]

[Total Marks : 100

Instructions :

(1)

|                                                                                                                                                |                                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| नीचे दृष्टावेव निशानीवाणी विगतो उत्तरवडी पर अवश्य लपवी.<br>Fillup strictly the details of signs on your answer book.                           | Seat No. :                                                 |
| Name of the Examination :                                                                                                                      | <input type="text"/>                                       |
| <input type="text" value="B. E. II (Sem - III) (Comp. I.T.)"/>                                                                                 | <input type="text"/>                                       |
| Name of the Subject :                                                                                                                          | <input type="text"/>                                       |
| <input type="text" value="Discrete Mathematics"/>                                                                                              | <input type="text"/>                                       |
| Subject Code No. : <input type="text" value="6"/> <input type="text" value="1"/> <input type="text" value="6"/> <input type="text" value="5"/> | Section No. (1, 2,.....): <input type="text" value="Nil"/> |
| Student's Signature                                                                                                                            |                                                            |

- (2) Attempt all questions.  
(3) Figure to the right indicate marks.

- 1 (a) Do as directed. 10
- (1) Define union, intersection and ring-sum of two graphs.
- (2) Define isomorphism.
- (3) Define component.
- (4) Define deletion of a vertex and deletion of an edge.
- (5) Define (i) Path (ii) Circuit.
- (b) Attempt any two : 10
- (1) Prove that a simple graph with n vertices and k components can have atmost  $\frac{(n-k)(n-K+1)}{2}$  edges.
- (2) Prove that if there are n vertices in a graph and e edges then  $\sum_{i=1}^n d(V_i) = 2e$ , where  $V_i$  devotes the vertices.

- (3) Prove that an infinite graph with finite number of vertices must have atmost one pair of vertices joined by infinite number of parallel edges.
- 2** (a) Describe Konigseberg bridge problem. **03**
- (b) Attempt any three : **12**
- (1) Define a binary tree. Show that the number of vertices in a binary tree is always odd. Obtain number of pendant vertices in a binary tree.
- (2) Prove that a graph is a tree if and only if it is minimally connected.
- (3) Define a tree. Prove that a tree with n vertices has n-1 edges.
- (4) Prove that a given connected graph G is an Euler graph, if and only if all vertices of G are of even degree.
- 3** (a) Describe three-utilities problem **03**
- (b) Attempt any three : **12**
- (1) In any simple, connected plannar graph with f regions, n vertices and e edges ( $e > 2$ ) show that
- $$e \geq \frac{3}{2}f \text{ and } e \leq 3n - 6$$
- (2) Define a cut-set. Prove that every circuit has an even number of edges in common with any cut-set.
- (3) Define a plannar graph. Prove that a connected plannar graph with n vertices and e edges has  $e - n + 2$  regions.
- (4) Define a spanning tree. Prove that a pendent edges in a connected graph G is contained in every spanning tree of G.

- 4 (a) Do as directed : 10
- (1) Given  $S = \{1, 2, \dots, 10\}$  and a relation R on S where  $R = \{(x, y) \mid x + y = 10\}$ . What are the properties of the relation R ?
  - (2) Draw Hass diagram for  $(S_{30}, D)$  where  $S_{30}$  is the set of divisors of 30 and D stands for relation divides.
  - (3) In usual notations, define  $P \rightarrow Q$  write its negation also.
  - (4) If  $A = \{a, b\}$ . Write the elements of  $\rho(A)$  where  $\rho(A)$  is the power set of A.
  - (5) Define Recursion.
- (b) Attempt any two : 08
- (1) Prove that the relation congruence module 5" given by  $x \equiv y \pmod{5}$  if and only if  $x - y$  is divisible by 5, over the set of integers, is an equivalence relation. Show that if  $x_1 \equiv y_1 \pmod{5}$  and  $x_2 \equiv y_2 \pmod{5}$  then  $(x_1 + x_2) \equiv (y_1 + y_2) \pmod{5}$ .
  - (2) Define POSET.  
Prove that  $\langle R_1 \leq \rangle$  is a POSET.
  - (3) Let p and q be any two statement formulas.  
Construct a truth table for  $\neg(p \vee q) \vee (\neg p \wedge \neg q)$
- 5 (a) Attempt any two : 08
- (1) Define subgroup. Show that  $S \neq \emptyset$  of a group G is a subgroup of  $(G, *)$  if and only if for any pair of elements  $a, b \in S, a * b^{-1} \in S$
  - (2) Define an abelian group. Show that if every element in a group is its own inverse, then the group must be abelian.

- (3) Define group homomorphism. Prove that Kernel of a homomorphism  $g$  from a group  $(G, *)$  to  $(H, \Delta)$  is a subgroup of  $(G, *)$ .

(b) Attempt any two : 08

- (1) Let  $(L, \leq)$  be a lattice for any  $a, b, c \in L$  prove that  $b \leq c \Leftrightarrow a * b \leq a * c$
- (2) Let  $(L, \leq)$  be a lattice. Prove that, if  $a \leq b$  and  $c \leq d$  then  $a * c \leq b * d$  where  $a, b, c, d \in L$  and  $*$  denotes operation of meet.
- (3) Show that in a complemented, distributive lattice  $a \leq b \Leftrightarrow a * b^1 = 0 \Leftrightarrow a^1 \oplus b = 1$

6 (a) Attempt any two : 08

- (1) Define a complemented lattice. Find the complements of every element of the lattice  $(S_{15}, D)$ .
- (2) In any Boolean Algebra, show that  $a = 0 \Leftrightarrow ab^1 + a^1b = b$
- (3) Show that a chain of three or more elements is not complemented.

(b) Attempt any two : 08

- (1) Show that  $f(x, y) = x^y$  is a primitive recursive function. Also show that the function  $f(x_1, x_2, y)$

define as  $f(x_1, x_2, y) = \begin{cases} x_2, & x_1 > y \\ (x_1 * y) + x_2, & x_1 \leq y \end{cases}$  is primitive recursive.

- (2) Defined partial recursive function. Show that the function  $f(x) = \frac{x}{2}$  is a partial recursive function.
- (3) Use the Karnaugh map representation to find a minimal sum of products expression of the function  $f(a, b, c, d) = \sum(0, 1, 2, 3, 13, 15)$