



S-2633

M. Sc. I (Sem. I) (Mathematics) Examination
March / April - 2011
Paper - 402 : Complex Analysis

Time : 3 Hours]

[Total Marks : 70

Instructions :

(1)

नीचे दशांशवैल निशानीवाणी विगतो उत्तरवडी पर अवश्य क्षभवी.
Fillup strictly the details of signs on your answer book.

Name of the Examination :
M. SC. 1 (SEM. 1) (MATHEMATICS)

Name of the Subject :
402 : COMPLEX ANALYSIS

Subject Code No. : 2 6 3 3 Section No. (1, 2,.....) : NIL

Seat No. :

Student's Signature

- (2) This paper contains **five** questions.
 (3) Follow **usual** notations and conventions.
 (4) Figures on **right** indicates marks for that section.

- 1 (a) Define the following terms : 6
 (i) Analytic function
 (ii) Harmonic function.
 Derive the Cauchy - Riemann differential equation for a complex analytic function.
 $w = f(z) = u(x, y) + i v(x, y)$
- (b) Attempt any **two** : 8
 (i) Show that $u = x^3 - 3xy^2$ is harmonic and find a corresponding analytic function
 $f(z) = u(x, y) + i v(x, y)$
 (ii) Find all solutions of the equation $z^4 = 8\sqrt{2}(1+i)$
 Leave your answers in exponential form and plot them on an Argand diagram.
 (iii) Use the Cauchy - Riemann differential equations to show that $f(z) = \frac{1}{z^4}$ is analytic.

2 (a) Define the term : 6

Radius of convergence of the power series.

Show that the radius of convergence of the Binomial

series $\sum_0^{\infty} \binom{\alpha}{n} t^n$ is ≥ 1 ; where α is any nonzero complex number.

(b) Attempt any two : 8

(i) Show that for $\arg r > 0$, the series $\sum \frac{z^n}{n!}$ converges

absolutely and uniformly for $|z| \leq r$.

(ii) Let $\{a_n\}$ be the sequence of numbers defined by

$$a_0 = 1, a_1 = 2 \text{ and } a_n = a_{n-1} + a_{n-2}; n \geq 2$$

Find the radius of convergence of the power series.

(iii) Define the term : Uniformly convergent sequence.

If a sequence $\{f_n\}$ of functions on a set S is Cauchy, then show that it converges uniformly.

3 (a) Define : Holomorphic function. Let R be a rectangle, 6
and f be a holomorphic function on R . Show that

$$\int_{\partial R} f = 0, \text{ where } \partial R \text{ is the boundary of the rectangle.}$$

(b) Attempt any two : 8

(i) Evaluate $\int_C \frac{z^2 - \frac{1}{3}}{z^3 - z} dz,$

where , $C : \left| z - \frac{1}{2} \right| = 1$ with counter - clockwise orientation.

(ii) Use Cauchy - Integral formula

$$\int_C \frac{f(z)}{z-z_0} dz = 2\pi i \cdot f(z_0) \text{ to integrate } \int_C \frac{z^2+1}{z^2-1} dz,$$

where C : is a circle of radius 1 with centre at z_0 ;

in the counter - clockwise direction, where

(1) $z_0 = 1$

(2) $z_0 = i$

(iii) Let S be a convex set, and let γ, η be continuous closed curves in S . Show that γ, η are homotopic in S .

4 (a) Let \bar{D} be a closed disc of positive radius and let f be holomorphic on an open disc U containing \bar{D} . Let V be the circle in which is the boundary of \bar{D} . Show that

$$\text{for every } z_0 \in \bar{D}, f(z_0) = \frac{1}{2\pi i} \int_{\gamma} \frac{f(z)}{z-z_0} dz.$$

(b) Attempt any two : 8

(i) Show that $f(z) = \sum_1^{\infty} \frac{1}{(a+n)z}$ is holomorphic for

$$R_e(z) > 1; \text{ where } a > 0.$$

(ii) Find the poles for the function $f(z) = \frac{2z}{(z+4)(z-1)^2}$.

Determine the order of the poles. Further, calculate the residues at each of the poles.

(iii) Define : Winding number $W(\gamma, \alpha)$ for a closed path γ and with respect to a point α .

- 5 (a) Let $Q(x, y)$ be a rational function which is continuous 6
when $x^2 + y^2 = 1$.

Show that
$$\int_0^{2\pi} Q(\cos \theta, \sin \theta) d\theta = 2\pi i$$

(Σ Residues of f inside the unit circle)

$$f(z) = \frac{1}{iz} Q(\cos \theta, \sin \theta),$$

Where the function F is defined by

$$z = e^{i\theta} = x + iy.$$

Hence, show that
$$\int_0^{2\pi} \frac{1}{1+a^2-2a \cos \theta} d\theta = \frac{2\pi}{1-a^2} \quad ;$$

for $0 < a < 1$.

- (b) Attempt any **two** : 8

(i) Find the Laurent's series of the function

$$f(z) = \frac{1}{z^2(1-z)} \text{ in the regions}$$

(1) $0 < |z| < 1$ and

(2) $|z| > 1$

(ii) Let γ, η be two continuous paths in an open set U and suppose they have the same starting and ending points. Further, assume that they are close together. Let f be holomorphic on U .

Show that
$$\int_{\gamma} f = \int_{\eta} f$$

(iii) Let g have a simple pole at 0. Then show that

$$\lim_{\epsilon \rightarrow 0} \int_{S(\epsilon)} g(z) dz = \pi i \operatorname{Res}_0(g). \text{ Use the above result}$$

to prove that
$$\int_0^{\infty} \frac{\sin x}{x} dx = \frac{\pi}{2}.$$