

1903000203020023
EXAMINATION NOVEMBER 2024
BACHELOR OF SCIENCE (NON-NEP) (THIRD SEMESTER)
PHYSICAL CHEMISTRY PAPER - V

[Time: As Per Schedule]

[Max. Marks: 50]

<p>Instructions:</p> <p>1. Fill up strictly the following details on your answer book</p> <p>a. Name of the Examination: BACHELOR OF SCIENCE (NON-NEP) (THIRD SEMESTER)</p> <p>b. Name of the Subject: PHYSICAL CHEMISTRY PAPER - V</p> <p>c. Subject Code No: 1903000203020023</p> <p>2. Sketch neat and labelled diagram wherever necessary.</p> <p>3. Figures to the right indicate full marks of the question.</p> <p>4. All questions are compulsory.</p>

Seat No:

--	--	--	--	--	--

Student's Signature

English Version

[Max. Marks: 50]

Q.1 Answer the following questions brief: 8

- (i) Log [A] vs. time is a straight line graph, then what is the order of the reaction?
- (ii) An increase in temperature, rate of reaction increases, which was started by Arrhenius, give that equation
- (iii) Lambert-Beer's law applied for which type of aqueous solution?
- (iv) Give the name of photo inhibitors.
- (v) Give the relationship between the ionic conductance and transport number.
- (vi) Give the equation to determine ionic product of water?
- (vii) What is overtone?
- (viii) In which section of vibrational-rotational spectra of CO, HCl obtain?

Q.2 (a) Derive Arrhenius equation $K = A \cdot e^{-E_a/RT}$ for determination of activation Energy. 5

OR

- (a) The rate constant of a reaction at 35°C is $8.37 \times 10^{-5} \text{ second}^{-1}$ and at 65°C is 4.87×10^{-3} . Calculate the activation energy E_a .

- (b) Classifying photochemical equilibrium reactions, discuss each in detail. **5**
- OR**
- (b) What is quantum yield? Explain the experimental method for determination of Quantum yield.
- (c) Calculate the vibrational number, photon energy and Einstein energy in ergs of Light having frequency 6000 A° . (where $N = 6.023 \times 10^{23}$, $C = 3 \times 10^{10} \text{ meter/sec}$ and $h = 2.625 \times 10^{-27} \text{ ergs.sec}$) **4**
- Q.3** (a) What is moving boundary? Describe moving boundary method for determination of transport number of ions. **5**
- OR**
- (a) Derive the equation for calculation of solubility and solubility product of sparingly soluble salt. Give the equation of solubility product of different salts.
- (b) Explaining law of independent ionic conductance, discuss that it is useful in determining degree of dissociation of weak electrolytes. **5**
- OR**
- (b) State and explain Kohlrausch law of independent conductance of ions. How does it help in determining the equivalent conductivities of weak electrolyte?
- (c) The tube is filled with 0.0998 N Gadolinium chloride and lithium chloride solution. 5.594×10^{-3} ampere electricity is passed through tube for 4406 seconds, then boundary moved about 1.111 cm^3 by volume. Calculate transport number of Cd^{+2} ion. **4**
- Q.4** (a) What is Vibrational Rotational spectra? Where it is obtained in electromagnetic spectrum? Explain that polycules molecules exhibit Vibrational Rotational Spectra. **5**
- OR**
- (a) What Raman spectra? Explain. Give characteristics of raman lines.
- (b) What is electromagnetic radiation? Explain. Discuss the parameters related with electromagnetic radiation. **5**
- OR**
- (b) How various types of molecular spectra are obtained by energy changes occurring in the molecule? Explain.
- (c) The spectrum of HBr has absorption maximum at 3.77μ . **4**

Calculate the force constant between H and Br bond. (where, H= 1.008a.m.u and Br= 79.900a.m.u C= 3.0x10⁸cm/sec)

Gujarati Version

[Max. Marks: 50]

Q.1 નીચેના પ્રશ્નોના ટૂંકમાં જવાબ આપો : 8

- (1) Log [A] વિરુદ્ધ સમયનો આલેખ સુરેખ હોય તો, કયા કમની હશે?
- (2) સરળ અથડામણ સિદ્ધાંતમાં પ્રક્રિયાના પ્રકાર પ્રમાણે સંભાવના અવયવ P ની કિમત કેટલી હોવી જોઈએ?
- (3) લેમ્બર્ટ- બિયરનો નિયમ કયા પ્રકાર નાં જલીય દ્રાવણને લાગુ પડે છે?
- (4) પ્રકાશ રાસાયણિક અવરોધકો ના નામ જણાવો.
- (5) આયનિક વાહકતા અને વહનાંક વચ્ચેનો સંબંધ જણાવો,
- (6) પાણીનો આયનિક ગુણાકાર મેળવવા માટેનું સમીકરણ આપો.
- (7) ઓવરટોન એટલે શું?
- (8) CO, HCl કયા વિભાગ માં કંપન પરિભ્રમણીય વર્ણપટ આપે છે?

Q.2 (અ) સક્રિયકરણ શક્તિ માટેનું આર્ટેનિયસ સમીકરણનું સંકલીત રૂપ 5
K= A.e^{-E_a/RT} મેળવો.

અથવા

(અ) પ્રક્રિયાનો દર અચળાંક 35° સે તાપમાને 8.37× 10⁻⁵ સેકન્ડ⁻¹ છે અને 65° સે તાપમાને 4.875 ×10⁻³ સેકન્ડ⁻¹ છે. પ્રક્રિયાની સક્રિયકરણ E_a શક્તિ નું મૂલ્ય ગણો.

(બ) પ્રકાશ રાસાયણિક સંતુલન પ્રક્રિયાનું વર્ગીકરણ કરી, પ્રત્યેકની ચર્ચા કરો. 5

અથવા

(બ) ક્વોન્ટમ નીપજ એટલે શું? કોન્ટમ નીપજનું મૂલ્ય માપવાની પ્રાયોગિક રીતનું વર્ણન કરો.

(ક) 6000 Å તરંગલંબાઈ ધરાવતા વિકિરણ માટે કંપ સંખ્યા, ફોટોન તેમજ 4
આઇન્સ્ટાઇનનું મૂલ્ય અર્ગમાં શોધો. (N= 6.023x10²³, C= 3x10¹⁰cm/sec and h= 2.625x10⁻²⁷ergs.sec)

Q.3 (અ) અભિગમનાંક એટલે શું? આયનના અભિગમનાંક માટેની ખસતી સીમાની પદ્ધતિ વર્ણવો. 5

અથવા

(અ) અલ્પ દ્રાવ્ય ક્ષારની દ્રાવ્યતા અને દ્રાવ્યતા ગુણાકાર નક્કી કરવાની રીત વર્ણવો. જુદા-જુદા ક્ષારની દ્રાવ્યતા ગુણાકાર માટેનાં સમીકરણ આપો.

(બ) સ્વતંત્ર આયનિક વાહકતાનો નિયમ સમજાવી, ચર્ચા કરો કે તે નિર્બળ વિદ્યુતવિભાજ્યના વિયોજન અંશ શોધવામાં ઉપયોગી નીવડે છે. 5

અથવા

(બ) કોહલરોશનો સ્વતંત્ર વાહકતાનો નિયમ લખો અને સમજાવો. તેની મદદથી નિર્બળ વિદ્યુતવિભાજ્યની તુલ્યવાહકતા કેવી રીતે નક્કી કરવામાં આવે છે ?

(ક) નળીમાં 0.0998 N ગેડોલિનિયમ ક્લોરાઇડ અને લિથિયમ ક્લોરાઇડના દ્રાવણથી ભરેલી નળી માં 5.594×10^{-3} એમ્પિયર વિદ્યુતપ્રવાહ નળીમાં 4406 સેકન્ડ સુધી પસાર કરતાં, ચલિત સીમા 1.112 સે.મી³ કદમાં ખસે છે. Cd⁺² આયનનો વહનાંક ગણો. 4

Q.4 (અ) કંપનમય પરિભ્રમણ વર્ણપટ એટલે શું? વીજચુંબકીય તરંગ આલેખમાં તે કાં મળે છે ? બહુકેન્દ્રીય અણુઓ કંપનમય પરિભ્રમણ વર્ણપટ આપે છે. સમજાવો. 5

અથવા

(અ) રામન વર્ણપટ એટલે શું? સવિસ્તર સમજાવો. તમની રેખાઓનાં લાક્ષણિક ગુણધર્મો જણાવો.

(બ) વીજચુંબકીય વિકિરણ સમજાવો. તેમાં સમાયેલાં પ્રાયલો સવિસ્તર ચર્ચો. 5

અથવા

(બ) વિભિન્ન પ્રકારના આણ્વિક વર્ણપટ, અણુમાં ઉદ્ભવતા શક્તિ પરિવર્તન દ્વારા કેવી રીતે મળે છે? સમજાવો.

(ક) HBr ના વર્ણપટમાં મહત્તમ શોષણ 3.77 μ . એ થાય છે. તો H અને Br વચ્ચે ના બંધનો બળ અચળાંક ગણો. (જ્યાં H= 1.008a.m.u and Br= 79.900a.m.u C= 3.0x10⁸meter/sec) 4

*****END*****